



RFPW.E190061 Purging and Pressurizing Controls and Accessories for Use in Hazardous Locations

[Page Bottom](#)

Purging and Pressurizing Controls and Accessories for Use in Hazardous Locations

[See General Information for Purging and Pressurizing Controls and Accessories for Use in Hazardous Locations](#)

EXPO TECHNOLOGIES LIMITED

E190061

Unit 2 The Summit
Hanworth Road
Sunbury On Thames, SURREY TW16 5DB UNITED KINGDOM

Purge control units, Type X, for use in Class I, Groups A, B, C and D hazardous locations, Model** 1, 2, 3, 4, 5, 6 or 7 followed by X, followed by CF, CFHP or LC, followed by BP, CS, SS or PM, may be followed by one or more of the following: ET, IS, PO, AO, DS, DT, SS and MO.

For the 'IS' option: intrinsically safe when installed in accordance with Control Drawing number EP80-2-11.

Type Y for use in hazardous (classified) locations, Model** 1, 2, 3, 4, 5, 6 or 7 followed by Y, followed by CF, CFHP or LC, followed by BP, CS, NM, PM, SS, may be followed by AO, DS, DT, IS, MO, NO, PO, SS.

Type Z for use in hazardous (classified) locations, Models** 1, 2, 3, 4, 5, 6 followed by Z, followed by CF, CFHP or LC, followed by BP, CS, PM, SS, may be followed by AO, DS, DT, IS, MO, NO, PO, SS.

Purge control accessory - Vent unit for use in hazardous (classified) locations, Model RLV followed by 25, 36, 52, 75, 104, 125, 150, or 200, followed by CS or SS, may be followed by FS.

** - Internal series identifier, precedes model number, which may contain one or more characters.

[Last Updated](#) on 2017-11-03

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".